	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	3943	382/162,165,167,194,221,27 4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 12:30	
2	BRS	3891	345/419,543,556,589,614,62 5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:00	
3	BRS	1597	702/117,189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:01	
4	BRS	75	test$3 with video$1 with card$1 with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:02	
5	BRS	0	test$3 with video$1 with card$1 with display$3 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:03	
6	BRS	18	test$3 with video$1 with display$3 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:09	

Type	Hits	Search Text	DBs	Time Stamp	Comments
7 BRS	1	("345"/$.ccls. and "382"/$.ccls.) and test$3 with video$1 with display$3 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:04	
8 BRS	5	("345"/$.ccls. or "382"/$.ccls.) and test$3 with video$1 with display$3 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:04	
9 BRS	32	test$3 with video$1 with display$3 and rotat$$6 same (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:12	
10 BRS	4358	rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:12	

Type	Hits	Search Text	DBs	Time Stamp	Comments
11 BRS	182	rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:13	
12 BRS	0	test$3 with rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:14	
13 BRS	0	test$3 same rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:14	
14 BRS	6	test$3 same rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:16	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	2	test$3 with imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:19	
16	BRS	2	test$3 with imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:19	
17	BRS	2	test$3 with imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:21	

Type	Hits	Search Text	DBs	Time Stamp	Comments
18 BRS	199	imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:21	
19 BRS	69	("345"/$.ccls. or "382"/$.ccls.) and imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	1	("345"/$.ccls. or "382"/$.ccls.) and imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:28	
21	BRS	2	imag$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:29	

Type	Hits	Search Text	DBs	Time Stamp	Comments
22 BRS	0	test$3 with (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:29	
23 BRS	0	test$3 same (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 with computer$1 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:30	

Type	Hits	Search Text	DBs	Time Stamp	Comments
24 BRS	1	test$3 same (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 same computer$1 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:30	
25 BRS	2	video$1 with test$3 same (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 same computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:31	

Type	Hits	Search Text	DBs	Time Stamp	Comments
26 BRS	5	video$1 with test$3 and (fail$3 or malfunction$2 or fault$1 or problem$1 or error$1 or anomal$3 or defect$1) and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 same computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:37	
27 IS&R	2	("6591010").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:34	
28 BRS	6	test$3 with rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2) with imag$3 same computer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/04/01 11:48	
29 BRS	2	"20040227751"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/04/01 11:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	9	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test$3 with video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:09	
31	BRS	11	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test$3 same video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:09	
32	BRS	36	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test$3 with display$3 and video$1 with card$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:10	
33	BRS	17	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test$3 with display$3 and video$1 with card$1	US-PGPUB	2006/05/23 14:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	576	test$3 with display$3 and video$1 with card$1	US-PGPUB	2006/05/23 14:11	
35	BRS	16	test$3 with display$3 and video$1 with card$1 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB	2006/05/23 14:11	
36	BRS	0	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test$3 with display$3 and video$1 with card$1 and rotat$$6 with (3d or 3-d or three-dimension$2 or three adj dimension$2)	US-PGPUB	2006/05/23 14:12	

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1	X		US 20050190180 A1	20050901	22	Stereoscopic display system with flexible rendering of disparity map according to the stereoscopic fusing capability of the observer	345/419		345/419
2	X		US 20050107974 A1	20050519		Method for testing displays	702/113	702/117; 702/123; 702/126	702/117
3	X		US 20050041032 A1	20050224	21	System and method for optimizing a graphics intensive software program for the user's graphics hardware	345/556		345/556
4	X		US 20040258300 A1	20041223	26	System and method for minimizing display image size by approximating pixel display attributes	382/162		382/162
5	X		US 20040207621 A1	20041021		Dynamic tree-node property page extensions	345/419		345/419

	U 1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieva 1 Classif
6	X	US 20040151361 A1	20040805		Method and apparatus for testing the quality of reclaimable waste paper matter containing contaminants	382/141	382/165; 382/168	382/165
7	X	US 20040008208 A1	20040115		Quality of displayed images with user preference information	345/589		345/589
8	X	US 20030233207 A1	20031218		Apparatus and method for testing a computer system by utilizing FPGA and programmable memory module	702/117		702/117
9	X	US 20030206179 A1	20031106		Compensating for the chromatic distortion of displayed images	345/589		345/589
10	X	US 20030133609 A1	20030717		Color correction control graphical user interface	382/167		382/167
11	X	US 20030103670 A1	20030605		Interactive images	382/162	382/276	382/162

U	l	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieva l Classif
12	X	US 20030103057 A1	20030605		Method and apparatus for color correction	345/589		345/589
13	X	US 20020093505 A1	20020718	21	System and method for optimizing a graphics intensive software program for the user's graphics hardware	345/543		345/543
14	X	US 20020080168 A1	20020627		Method and system for improved internet color	715/744	345/589	345/589
15	X	US 20020041287 A1	20020411		Method and system for characterizing color display monitor output	345/589		345/589
16	X	US 20020012004 A1	20020131		Blending the edges of multiple overlapping screen images	345/589		345/589
17	X	US 20010053247 A1	20011220		Plurality of picture appearance choices from a color photographic recording material intended for scanning	382/162		382/162